ELSEVIER SCIENTIFIC PUBLISHERS IRELAND

Chemistry and Physics of Lipids 66 (1993) 235–237

Chemistry and Physics of LIPIDS

Subject Index

Volume 66 (1993)

1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 111

acetates, ^{31}C-NMR, long-chain acids, esters, nitriles, alcohols, 189

1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, AHPC, palmitic anhydride, 161

1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161

AHPC, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, palmitic anhydride, 161

alcohols, ^{31}C-NMR, long-chain acids, esters, nitriles, acetates, 189

aldehyde, autoxidation, linoleic acid, decadienal, 13

aminophospholipid translocase, plasmalogen, lipid asymmetry, spin-label, erythrocyte, 225

arachidonic acid, Fe-ascorbate peroxidation, pyrophosphate, liposomes, 87

autoxidation, linoleic acid, aldehyde, decadienal, 13

biological membrane, homogeneous sphinogomyelins, ^{13}C-labeled sphingomyelins, ceramide, fatty acids, 41

biosynthetic inhibitor, mycobacteria, mycolic acids, cyclopropene fatty acids, 35

biosynthetic intermediates, mycolic acids, tetracos-5-enoic acid, 6-methyltetracos-4-enoic acid, fatty acid synthesis, 23

^{13}C-labeled sphingomyelins, homogeneous sphinogomyelins, ceramide, fatty acids, biological membrane, 41

^{31}C-NMR, long-chain acids, esters, nitriles, alcohols, acetates, 189

^{13}C-NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, vesicles, membranes, 1

CD, α-helicity, DSC, LDL, oxidation, thermotropic transition, 231

ceramide, homogeneous sphinogomyelins, ^{13}C-labeled sphingomyelins, fatty acids, biological membrane, 41

cholesterol, ^{13}C-NMR, molecular dynamics, generalised order parameter, DMPC, vesicles, membranes, 1

cholesterol, octylglucoside, diglycerol hexadecylether, vesicle reconstitution, kinetics, 93

cis-unsaturated fatty acid, fatty acid mixture, phase diagram, miscibility, polymorphism, DSC, 209

concanavalin A, 2,3-dideoxy-D-*erythro*-hex-2-enopyranoside, NMR, lectin, 155

copper(II) acetate, α-ketols, linoleic acid, α-linolenic acid, redox reactions, oxidation products, 2,6-dichloropenol-indophenol, 199

cutin, esterases, hydroxyhexadecanoate, polyester, cyclodextrin, 215

cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, gas chromatography, mass spectrometry, 143

cyclodextrin, cutin, esterases, hydroxyhexadecanoate, polyester, 215

cyclopropene fatty acids, mycobacteria, mycolic acids, biosynthetic inhibitor, 35

decadienal, autoxidation, linoleic acid, aldehyde, 13

2,6-dichlorophenolindophenol, α-ketols, linoleic acid, α-linolenic acid, redox reactions, oxidation products, copper(II) acetate, 199

2,3-dideoxy-D-*erythro*-hex-2-enopyranoside, NMR, lectin, concanavalin A, 155

differential scanning calorimetry, differential scanning densitometry, lipoic acid, phase transition, polymerizable phospholipids, 63

differential scanning calorimetry, glycolipids, galactolipids, phase transitions, X-ray scattering, 55

differential scanning calorimetry, lipid phase transitions, nitrophenyl esters of fatty acids, 47

differntial scanning densitometry, differential scanning calorimetry, lipoic acid, phase transition, polymerizable phospholipids, 63

diglycerol hexadecylether, octylglucoside, cholesterol, vesicle reconstitution, kinetics, 93

dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, elec-

SSDI 0009-3084(93)-02290-?

tron microscopy, microstructure, plasma polymerization replica film, 219
diphenylhexatriene derivatives, fluorescent probes, partition coefficients, membrane fluidity, interdigitation, 135
DMPC, ^{13}C-NMR, molecular dynamics, generalised order parameter, cholesterol, vesicles, membranes, 1
DNA, sphingosine, phosphatidic acid, liposomes, 75
DSC, α-helicity, CD, LDL, oxidation, thermotropic transition, 231
DSC, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, polymorphism, 209
DSC, hexagonal phase, phosphatidylethanolamine, phase equilibria, ^{31}P-NMR, 181
DSC, sphingosine, phospholipid, thermal phase behaviour, 123

electron microscopy, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, microstructure, plasma polymerization replica film, 219
enzymatic conversion, lipase, phosphatidylcholine, phospholipid, phase behaviour, 195
erythrocyte, plasmalogen, lipid asymmetry, aminophospholipid translocase, spin-label, 225
esterases, cutin, hydroxyhexadecanoate, polyester, cyclodextrin, 215
esters, ^{31}C-NMR, long-chain acids, nitriles, alcohols, acetates, 189

fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, polymorphism, DSC, 209
fatty acid synthesis, mycolic acids, biosynthetic intermediates, tetracos-5-enoic acid, 6-methyltetracos-4-enoic acid, 23
fatty acid, NBD, triacylglycerol, lipase, fluorescence, synthesis, 171
fatty acids, homogeneous sphinogomyelins, ^{13}C-labeled sphingomyelins, ceramide, biological membrane, 41
Fe-ascorbate peroxidation, arachidonic acid, pyrophosphate, liposomes, 87
fluorescence, NBD, triacylglycerol, lipase, synthesis, fatty acid, 171
fluorescent probes, diphenylhexatriene derivatives, partition coefficients, membrane fluidity, interdigitation, 135
fluorescently labeled ether lipids, glyceryl ethers, 2,5-*O*-methylene-D-mannitol, 2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111

galactolipids, glycolipids, phase transitions, differential scanning calorimetry, X-ray scattering, 55
gas chromatography, cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, mass spectrometry, 143
generalised order parameter, ^{13}C-NMR, molecular dynamics, cholesterol, DMPC, vesicles, membranes, 1
glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111
glycolipids, galactolipids, phase transitions, differential scanning calorimetry, X-ray scattering, 55

α-helicity, CD, DSC, LDL, oxidation, thermotropic transition, 231

1-*O*-hexadecyl-*sn*-glycerol, glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-(12-NBD-aminododecyl)-*sn*-glycerol, 111
hexagonal phase, phosphatidylethanolamine, phase equilibria, DSC, ^{31}P-NMR, 181
high performance liquid chromatography, cyclic fatty acids, silver ion chromatography, gas chromatography, mass spectrometry, 143
homogeneous sphinogomyelins, ^{13}C-labeled sphingomyelins, ceramide, fatty acids, biological membrane, 41
hydroxyhexadecanoate, cutin, esterases, polyester, cyclodextrin, 215

interdigitation, fluorescent probes, diphenylhexatriene derivatives, partition coefficients, membrane fluidity, 135

α-ketols, linoleic acid, α-linolenic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
kinetics, octylglucoside, cholesterol, diglycerol hexadecylether, vesicle reconstitution, 93

Langmuir-Blodgett firm, dipalmitoylphosphatidylcholine, electron microscopy, microstructure, plasma polymerization replica film, 219
LDL, α-helicity, CD, DSC, oxidation, thermotropic transition, 231
lectin, 2,3-dideoxy-D-*erythro*-hex-2-enopyranoside, NMR, concanavalin A, 155
linoleic acid, α-ketols, α-linolenic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
linoleic acid, autoxidation, aldehyde, decadienal, 13
α-linolenic acid, α-ketols, linoleic acid, redox reactions, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
lipase, NBD, triacylglycerol, fluorescence, synthesis, fatty acid, 171
lipase, phosphatidylcholine, phospholipid, enzymatic conversion, phase behaviour, 195
lipid asymmetry, plasmalogen, aminophospholipid translocase, spin-label, erythrocyte, 225
lipid phase transitions, differential scanning calorimetry, nitrophenyl esters of fatty acids, 47
lipoic acid, differential scanning calorimetry, differential scanning densitometry, phase transition, polymerizable phospholipids, 63
liposomes, Fe-ascorbate peroxidation, arachidonic acid, pyrophosphate, 87
liposomes, sphingosine, phosphatidic acid, DNA, 75
long-chain acids, ^{31}C-NMR, esters, nitriles, alcohols, acetates, 189

mass spectrometry, cyclic fatty acids, silver ion chromatography, high performance liquid chromatography, gas chromatography, 143
membrane fluidity, fluorescent probes, diphenylhexatriene derivatives, partition coefficients, interdigitation, 135
membranes, ^{13}C-NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, vesicles, 1
2,5-*O*-methylene-D-mannitol, glyceryl ethers, fluorescently

labeled ether lipids, 2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-amino-dodecyl)-*sn*-glycerol, 111
2,2′-*O*-methylene-bis-(3-*O*-trityl-*sn*-glycerol), glyceryl ethers, fluorescently labeled ether lipids, 2,5-*O*-methylene-D-mannitol, 1-*O*-hexadecyl-*sn*-glycerol, 1-*O*-(12-NBD-amino-dodecyl)-*sn*-glycerol, 111
6-methyltetracos-4-enoic acid, mycolic acids, biosynthetic intermediates, tetracos-5-enoic acid, fatty acid synthesis, 23
microstructure, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, electron microscopy, plasma polymerization replica film, 219
miscibility, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, polymorphism, DSC, 209
molecular dynamics, ^{13}C-NMR, generalised order parameter, cholesterol, DMPC, vesicles, membranes, 1
mycobacteria, mycolic acids, cyclopropene fatty acids, biosynthetic inhibitor, 35
mycolic acids, biosynthetic intermediates, tetracos-5-enoic acid, 6-methyltetracos-4-enoic acid, fatty acid synthesis, 23
mycolic acids, mycobacteria, cyclopropene fatty acids, biosynthetic inhibitor, 35

NBD, triacylglycerol, lipase, fluorescence, synthesis, fatty acid, 171
nitriles, ^{31}C-NMR, long-chain acids, esters, alcohols, acetates, 189
nitrophenyl esters of fatty acids, differential scanning calorimetry, lipid phase transitions, 47
NMR, 2,3-dideoxy-D-*erythro*-hex-2-enopyranoside, lectin, concanavalin A, 155

octylglucoside, cholesterol, diglycerol hexadecylether, vesicle reconstitution, kinetics, 93
oxidation products, α-ketols, linoleic acid, α-linolenic acid, redox reactions, copper(II) acetate, 2,6-dichlorophenol-indophenol, 199
oxidation, α-helicity, CD, DSC, LDL, thermotropic transition, 231

^{31}P-NMR, hexagonal phase, phosphatidylethanolamine, phase equilibria, DSC, 181
palmitic anhydride, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, 161
1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, PHPC, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
partition coefficients, fluorescent probes, diphenylhexatriene derivatives, membrane fluidity, interdigitation, 135
phase behaviour, lipase, phosphatidylcholine, phospholipid, enzymatic conversion, 195
phase diagram, fatty acid mixture, *cis*-unsaturated fatty acid, miscibility, polymorphism, DSC, 209
phase equilibria, hexagonal phase, phosphatidylethanolamine, DSC, ^{31}P-NMR, 181
phase transition, differential scanning calorimetry, differential scanning densitometry, lipoic acid, polymerizable phospholipids, 63
phase transitions, glycolipids, galactolipids, differential scanning calorimetry, X-ray scattering, 55
phosphatidic acid, sphingosine, DNA, liposomes, 75
phosphatidylcholine, lipase, phospholipid, enzymatic conversion, phase behaviour, 195
phosphatidylethanolamine, hexagonal phase, phase equilibria, DSC, ^{31}P-NMR, 181
phospholipid, lipase, phosphatidylcholine, enzymatic conversion, phase behaviour, 195
phospholipid, sphingosine, thermal phase behaviour, DSC, 123
PHPC, 1-acyl-2-alkyl-*sn*-glycero-3-phosphocholine, 1-palmitoyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, 1-acetyl-2-hexadecyl-*sn*-glycero-3-phosphocholine, AHPC, palmitic anhydride, 161
plasma polymerization replica film, dipalmitoylphosphatidylcholine, Langmuir-Blodgett firm, electron microscopy, microstructure, 219
plasmalogen, lipid asymmetry, aminophospholipid translocase, spin-label, erythrocyte, 225
polyester, cutin, esterases, hydroxyhexadecanoate, cyclodextrin, 215
polymerizable phospholipids, differential scanning calorimetry, differential scanning densitometry, lipoic acid, phase transition, 63
polymorphism, fatty acid mixture, *cis*-unsaturated fatty acid, phase diagram, miscibility, DSC, 209
pyrophosphate, Fe-ascorbate peroxidation, arachidonic acid, liposomes, 87

redox reactions, α-ketols, linoleic acid, α-linolenic acid, oxidation products, copper(II) acetate, 2,6-dichlorophenolindophenol, 199
silver ion chromatography, cyclic fatty acids, high performance liquid chromatography, gas chromatography, mass spectrometry, 143
sphingosine, phosphatidic acid, DNA, liposomes, 75
sphingosine, phospholipid, thermal phase behaviour, DSC, 123
spin-label, plasmalogen, lipid asymmetry, aminophospholipid translocase, erythrocyte, 225
synthesis, NBD, triacylglycerol, lipase, fluorescence, fatty acid, 171

tetracos-5-enoic acid, mycolic acids, biosynthetic intermediates, 6-methyltetracos-4-enoic acid, fatty acid synthesis, 23
thermal phase behaviour, sphingosine, phospholipid, DSC, 123
thermotropic transition, α-helicity, CD, DSC, LDL, oxidation, 231
triacylglycerol, NBD, lipase, fluorescence, synthesis, fatty acid, 171

vesicle reconstitution, octylglucoside, cholesterol, diglycerol hexadecylether, kinetics, 93
vesicles, ^{13}C-NMR, molecular dynamics, generalised order parameter, cholesterol, DMPC, membranes, 1

X-ray scattering, glycolipids, galactolipids, phase transitions, differential scanning calorimetry, 55

ELSEVIER SCIENTIFIC PUBLISHERS IRELAND

Chemistry and Physics of Lipids 66 (1993) 239–240

Chemistry and Physics of LIPIDS

Author Index

Volume 66 (1993)

Adlercreutz, P.	195	Ilyasov, A.V.	199
Araki, T.	219	Inoue, T.	209
Aro, A.	75	Iriyama, K.	219
Bae, S.-J.	47	Kinnunen, P.K.J.	75, 123
Baird, M.S.	35	Kleuser, B.	111
Beck, A.	135	Kδiv, A.	75, 123
Besra, G.S.	23, 35	Koynova, R.D.	55
Beswick, P.H.	1	Kuramshin, R.A.	199
Blume, A.	63	Kuttenreich, H.	55
Brechany, E.Y.	143		
Butcher, Jr., J.A.	41	Larsson, K.	195
		Latypov, S.K.	199
Cazzola, R.	87	Lehtonen, J.	75
Cervato, G.	87	Lemay, C.T.	181
Cestaro, B.	87	Lesieur, S.	93
Christie, W.W.	143		
		Malcolmson R.J.	1
Devaux, P.F.	225	Mattiasson, B.	195
Dong, Z.	41	McIntyre, J.C.	171
Duclos, Jr., R.I.	161	McIntyre, S.E.	155
Duportail, G.	135	Miesiz, Y.	195
		Minnikin, D.E.	23, 35
Edwards, K.	93	Moreau, R.A.	215
Epand, R.M.	181	Morita, M.	13
		Motoda, I.	209
Fellmann, P.	225	Mukhtarova, L.S.	199
Fett, W.F.	215	Mustonen, P.	75, 123
Gatti, P.	87	Okamura, E.	219
Gerard, H.C.	215	Ollivon, M.	93
Gercken, G.	111	Osman, S.F.	215
Grechkin, A.N.	199		
Gunstone, F.D.	189	Parkinson, J.A.	1
		Pax, H.	63
Hare, B.J.	155	Prestegard, J.H.	155
Heissler, D.	135		
Herak, J.N.	231	Le Quere, J.L.	143
Hervé, P.	225		
Higinbotham, J.	1	Ratledge, C.	23, 35
Hinz, H.-J.	55	Reed, D.	1
Hiramatsu, N.	209	Rytömaa, M.	75

SSDI 0009-3084(93)02291-X

Sadler, I.H. 1
Safonova, E.Y. 199
Sanders II, C.R. 155
Sato, K. 209
Schmidt, N. 111
Sebedio, J.L. 143
Seras, M. 93
Simpson, M.J. 35
Sleight, R.G. 171
Sturtevant, J.M. 47
Suzuki, M. 209
Svensson, I. 195

Tenchov, B.G. 55
Tokita, M. 13

Umemura, J. 219

Viani, P. 87

Watson, D. 171
Wheeler, P.R. 23, 35